Notification of the Department of Energy Business Re: Specification for Appearance and Quality of Engine Oils B.E. 2562 (2019)

In order to specify the appearance and quality of engine oils that are suitable and in accordance with international standards, and in order to be able to supervise oil traders more circumspectly, effectively and conveniently service to support being the digital government, by virtue of the provisions of Section 25, Paragraph one of the Fuel Trade Act, B.E. 2543, the Director-General of the Department of Energy Business hereby issues a notification as follows:

Clause 1. This notification shall come into force as from the forty five days following the date of its publication in the Government Gazette.

Clause 2. The Notification of the Department of Energy Business, RE: Specification for Appearance and Quality of Engine Oils B.E. 2559 (2016) dated 21 September B.E. 2559 shall be repealed.

Clause 3. This notification shall not apply to engine oils distributed or in possession for distribution to outside the Kingdom.

Clause 4. In this notification,

"Engine oils" mean engine oils for use in 4-stroke gasoline engines and diesel engines.

Clause 5. The appearance and quality of engine oils shall be classified into 2 types as follows:

- Chemical and physical properties which shall comply with the details prescribed in the annex of this notification.
- Engine performance which shall be notified by an oil trader and approved by the Director-General.

Clause 6. Engine oils with the following engine performance quality levels as classified by the American Petroleum Institute (API) shall not be distributed within the Kingdom.

- (1) Engine oils for use in 4-stroke gasoline engines with the engine performance quality levels of SA and SB
- (2) Engine oils for use in diesel engines with the engine performance quality levels of CA and CB


Clause 7. The following types of oil traders wishing to distribute engine oils or having in possession of engine oils for distribution purposes shall notify the appearance and quality of the engine oils according to Form Thor Por Kor 414 annexed hereto in order to acquire an approval from the Director-General.

- (1) Engine oil producers
- (2) Engine oil importers
- (3) Engine oil traders possessing their own trade names or trademarks that are intended to be used for their engine oils

Clause 8. The notification form for the appearance and quality of engine oils and other supporting documents shall be submitted to the Department of Energy Business or via the electronic system, for the oil traders wishing to notify the appearance and quality of the engine oils via the electronic system need to request for register username and password in accordance with the procedures and conditions specified by the Department of Energy Business.

Clause 9. After the Director-General has approved the appearance and quality of the engine oil notified by the oil trader, the Department of Energy Business will grant the oil trader a certificate of approval according to Form Thor Por Kor 415 attached hereto, in which a registration number is given, which may be issued in the from of document or digital system.

The registration number given by the Department of Energy Business shall comprise a Tor Por symbol and a registration number inside a rectangle as the following:



The certificate of approval according to Paragraph one shall be valid for 3 years as from the date of its issuance, except for a case where the oil trader requests for the approval by referring to the appearance and quality documents of the engine oil that the certificate of approval of its quality has been granted to other engine oil producer. In which case, the expiry date of the certificate given shall be the same as that stated in the certificate granted to the engine oil producer. The certificate of approval may be renewed according to Clause 10.

Clause 10. The oil trader who wishes to renew the certificate of approval according to Clause 9 shall submit an application form according to Form Thor Por Kor 416 attached hereto this notification within a period of 60 days prior to the expiry date.

The certificate of approval shall be renewed for a term of 3 years each time, commencing on the expiry date of the expiring certificate or the expiry date of the latest renewed certificate as the case may be. An exception is in a case where the certificate to be renewed was granted through the method of referring to the appearance and quality of the engine oil that has been approved for other engine oil producer, in which case, the expiry date of the renewed certificate shall be the same as that stated in the certificate granted to the engine oil producer.

Clause 11. Once the oil trader has submitted the application form for renewal of the certificate of approval within the period specified in Paragraph 1 of Clause 10, it shall be deemed that the certificate of approval continues to be valid until the Director-General gives an order otherwise.

Clause 12. In a case where the oil trader fails to submit the application form for renewal of the certificate of approval within the period specified in Paragraph 1 of Clause 10, it shall be deemed that the certificate of approval has been revoked. But if the oil traders wishing to distribute engine oils which the certification of the approval has not been renew, need to resubmit the application in form Thor Por Kor 414 with supporting document within a period of 60 days prior to the expiry date for approval, and shall get the prior registration number as before.

Clause 13. In a case where the Director-General has approved the appearance and quality of the engine oil according to Clause 9 or permitted the renewal of the certificate of approval according to Clause 10 but it appears at a later time that the documents submitted during the application contain inaccuracy or particulars deviating from the facts, the Director-General may order the oil trader to submit additional documents in order to eradicate such inaccuracy or to rectify such particulars within 30 days as from the date on which the oil trader receives the order.

If the oil trader fails to submit the documents or to rectify the mistaken particulars within the period specified in Paragraph 1, the Director-General may issue an order to revoke the certificate of approval issued according to Clause 9 or to revoke the renewed certificated according to Clause 10.

Clause 14. After the Director-General has approved the characteristic and quality of enging oil according to Clause 9 or permitted a renewal of the certificate of approval according to Clause 10, the oil trader who later wishes to make changes or add more information regarding the appearance and quality of engine oil , shall submit the application in form Thor Por Kor 418 attached hereto for an approval to the Director-General at least 30 days prior to the date on which the oil trader seeks to accomplish such changes

Clause 15. In distribution of engine oil specified in the certificate of approval according to Clause 9 or in the renewed certificate of approval according to Clause 10, the oil trader shall comply with the conditions as follows:

- (1) In distribution of engine oil packaged in a container of size not exceeding 210 liters, the product label shall at least contain the following information:
 - (a) Product name must be a name that has been approved by the Department of Energy Business, without adding, cutting, rearranging or setting words which leads to the misunderstandings
 - (b) Viscosity grade, standards and quality levels of the engine oil, and the statement "Approved by the Department of Energy Business", which shall be placed immediately after the declaration of the standard and the quality level that have been approved by the Department of Energy Business.
 - (c) Registration number which shall be displayed in the pattern specified by the Department of Energy Business
 - (d) Approved oil trader name is in the Certification of Approval
 - (e) Day, month, year of manufacture or packing.
- (2) In distribution of engine oil packaged in a container of size exceeding 210 liters, the engine oil trader shall generate a document containing the information according to (1) and submit to the purchasers.
- (3) The engine oil trader who has been granted the approval shall notify the Department of Energy Business the changes of names, head office addresses, places of manufacture, packing or storage within the period of thirty days from the date of such changes or the date of stoppage of production, distribution or imports, as the case may be.
- (4) When oil trader wishes to stop the production, distribution or import the engine oil before the expiry date of the certification. Oil trader must submit the notification in form Thor Por Kor 419 attached hereto in order to revoke the certification of approval and the registration number and should notify to the Department of Energy Business within 30 days from the date of stopping production, distribution or import as the case may be.

- (5) The engine oil trader shall notify their annual trade volume of engine oils according to Form Thor Por Kor 417 attached hereto to the Department of Energy Business within 31 January of the following year.
- (6) The oil trader shall have duty, from time to time as ordered by the competent officer, to collect samples of engine oils and submit to the competent officer in order to perform an inspection on the appearance and quality.

Clause 16. The engine oil which has been granted the approval or has been renewed the certificate of approval or pending approval before the date that this notification shall come into force. It shall be approved the appearance and quality of the engine oil by this notification.

Clause 17. The engine oil which has been approved or renewed the certificate of approval before this notification comes into force. The oil trader can continue to use the label that has already been used for 1 year since the date of this notification comes into force. After that the oil trader must display the label in accordance wih the conditions under this notification except for the engine oil that get the new certificant (Thor.Por.Kor.415) which changed level of quality by The Department of Energy Business, shall use the label that has already been used for a further 1 year from the expiry date of the certificant . If the oil traders wish to extend the period for using the label, must submit a written request to The Department of Energy Business within 1 year prior the expiry date of the certificant

Notified on 19 August B.E. 2562

Nantika Thangsuphanich

Director-General of the Department of Energy Business

Annex of the Notification of Department of the Energy Business Re: Specification for Appearance and Quality of Engine Oils B.E. 2562 (2019)

Chemical and Physical Properties of Engine Oil

No.	Item	Limit			Viscosi	ty Grade			Test Method
			0W	5W	10W	15W	20W	25W	
1.	Viscosity 1.1 at Temperature of ${}^{\circ}$ C Centipoise (cP)	Max	-35 6,200	-30 6,600	-25 7,000	-20 7,000	-15 9,500	-10 13,000	ASTM D 5293
	1.2 at 100 °C CentiStoke (cSt)	Min	3.8	3.8	4.1	5.6	5.6	9.3	ASTM D 445
2.	Viscosity Index	Min	-	-	-	-	-	-	ASTM D 2270
3.	Flash Point, °C	Min		182	! 		। — 199 — І	<u>'</u> 	ASTM D 92
4.	Pour Point, °C	Max	-	-	-	-	-	-	ASTM D 97
5.	Corrosion	Max		▼ No. 2a →				· • • • • • • • • • • • • • • • • • • •	ASTM D 130
6.	Water Content, vol%	Max		0.05					ASTM D 95
7.	Sediment Content, vol%	Max		0.07				ASTM D 2273	
8.	Foaming Characteristics , <i>ml</i> 8.1 Tendency ,sequence 1/2/3 - Quality levels lower than API SH and API CG-4	Max	25/150/25					ASTM D 892	
	- Quality levels of API SH (Except SAE 5W-30, 10W-30 and 15W-40) - Quality levels of API SH (SAE 5W-30, 10W-30 and	Max Max							
	15W-40 only), and API SJ, SL, SM, and SN, SN PLUS - Quality levels of API CG-4, CH-4, CI-4, CI-4 PLUS and CJ-4, CK-4 and FA-4 8.2 Sequence 1/2/3 For engine oils of quality levels higher than API SN, SN PLUS and CK-4 and FA-4,	Max Max							
	the foaming characteristics shall be as specified by the American Petroleum Institute (API) or as specified in ASTM D 4485. The foaming characteristic of engine oils meeting standards other than APIs, shall be as specified in such standards.								

Note: 1. Equivalent test methods may be used, but in case of discrepancy or dispute, the methods prescribed in this Annex shall prevail.

^{2.} Multigrade engine oils shall meet the viscosity requirements of both a "W" low temperature grade and a 100°C operating temperature grade.

Annex of the Notification of Department of the Energy Business Re: Specification for Appearance and Quality of Engine Oils B.E. 2562 (2019)

Chemical and Physical Properties of Engine Oil

No.	Item	Limit	t Viscosity Grade					Test Method			
			8	12	16	20	30	40	50	60	
1.	Viscosity										
	1.1 at Temperature of °C	Max	-	-	-	-	-	-	-	-	ASTM D 5293
	Centipoise (<i>cP</i>)										
	1.2 at 100 °C	Min	4.0	5.0	6.1	6.9	9.3	12.5	16.3	21.9	ASTM D 445
	CentiStoke (cSt)	Max	< 6.1	< 7.1	< 8.2	< 9.3	< 12.5	< 16.3	< 21.9	< 26.1	
2.	Viscosity Index	Min				 9	 92			 	ASTM D 2270
	•				1				Ī		
3.	Flash Point, °C	Min	← 18	32 —	┫	 19	9 —		← 2	04 →	ASTM D 92
4.	Pour Point, °C	Max	-6						ASTM D 97		
5.	Corrosion	Max	No. 2a					ASTM D 130			
6.	Water Content, vol%	Max	0.05					ASTM D 95			
7.	Sediment Content, vol%	Max	0.07					ASTM D 2273			
8.	Foaming Characteristics, ml							ASTM D 892			
0.	8.1 Tendency, Sequence 1/2/3										110111111111111111111111111111111111111
	 Quality levels lower than API SH and API CG-4 	Max	25/150/25								
	- Quality levels of API SH	Max	25/150/25								
	(Except SAE 5W-30, 10W-30 and 15W-40)										
	- Quality levels of API SH	Max				10/5	50/10 —				
	(SAE 5W-30, 10W-30 and 15W-40 only), and API SJ,										
	SL, SM, and SN, SN PLUS										
	 Quality levels of API CG-4, CH-4, CI-4, CI-4 PLUS and 	Max	•			10/5	50/10 —				
	CJ-4, CK-4 and FA-4										
	8.2 Stability, Sequence 1/2/3	Max	•			nil/n	nil/nil —				
	For engine oils of quality levels higher than API SN, SN PLUS and										
	CK-4 and FA-4, the foaming										
	characteristics shall be as										
	specified by the American Petroleum Institute (API) or as										
	specified in ASTM D 4485. The										
	foaming characteristic of engine										
	oils meeting standards other than										
	APIs, shall be as specified in such standards.										

Note: 1. Equivalent test methods may be used, but in case of discrepancy or dispute, the methods prescribed in this Annex shall prevail.

^{2.} Multigrade engine oils shall meet the viscosity requirements of both a "W" low temperature grade and a 100°C operating temperature grade.

Attachment to the Notification of Department of the Energy Business Re: Specification for Appearance and Quality of Engine Oils B.E. 2562

Form Thor Por Kor 414 Page 1

(Garuda Emblem)		Notif	ication form		For official use only		
Department of Energy Business	f	or engine	oil performance		Form No.		
To The Director-General of Department of Energy Business					Received on		
☐ Producer ☐ Importer	□ Name of	Natural p	erson		Registration No.		
☐ Engine oil traders who			oion certificate no.		Tor Por		
possess their own trade			organization		Tor Por		
names or trademarks	-Business or	-Business organization registration no.			Tor Por		
quality of engine oils performa ☐ New registration number ☐ Prior registration number (i the notification form within Prior registration number.	n case of not rend 60 days from ex	case of not renew within 60 days prior to the expiry 60 days from expiry date.)					
as follows:	,	vai		10 _			
Address/ Location of head	House no.	_ Moo	Trok/Soi	S	treet		
office (A natural person shall	Sub-district _		District		Province		
identify the address as appears	Postal code _		Tel		Fax		
in his or her commercial							
registration certificate)							
Name of producer/ Location	Name						
of blending	House no	_ Moo	Trok/Soi	S	treet		
	Sub-district _		District		Province		
	Postal code		Tel		Fax		
Name of packager/ Location	Name						
of packaging	House no	_ Moo	Trok/Soi	S	treet		
	Sub-district _		District		Province		
	Postal code		Tel		Fax		
Name of keeper/ Location	Name						
of storage (Location maps	House no	_ Moo	Trok/Soi	S	treet		
shall be attached)	Sub-district _		District		Province		
	Postal code		Tel		Fax		
Details of engine oil	Product name						
	Level of quality	ty* □ AF	PI (SC and higher, C	C and hig	her)		
		\Box AC	EA				
		□ JAS	SO				
			OBAL				
		□ ОЕ	M or automotive ma	nufacture	rs		
		□ Oth	ers				
	*Note need to			nat indicate	e level of quality issue year.		
					, SAE		

Supporting documents	1. Engine performance information documents					
	☐ (1) Notification form for engine oil performance (Form Thor Por Kor 414/1)					
	☐ (2) Formulation of engine oil (Form Thor Por Kor 414/2)					
	□*(3) Datasheets of additives, which shall include information of at least name, type, application, dosage, base number, elemental content, and chemical and physical properties □*(4) Datasheets of base oil used in production, which shall include information of at least production source, group as classified by API, chemical and physical characteristics such as sulphur content, viscosity index, and saturates content (this document is required only for engine oil of quality levels API SJ and higher, or API CH-4 and higher, with an exception of the quality levels that are declared obsolete by API, and for engine oils meeting quality standards other than API, the requirement shall be as specified for such quality levels in such standards) □*(5) Results of engine performance tests, each case is as follows: □ In case of the notifying appearance and quality of engine oil for use in 4-stroke gasoline engines or diesel engines, to submit in Thor Por Kor 414/3					
	☐ In case of the notifying appearance and quality of engine oil for use in 4-stroke gasoline engines or diesel engines and engines performed by Natural Gas, Liquefied Petroleum Gas					
	or other altermative fuels, to submit in Thor Por Kor 414/3 and additional field test report ☐ In case of the notifying appearance and quality of engine oil which the standard of engine oil requires only field test, to submit only field test report (in case of submitting in Thor Por Kor 414/3, The oil trader also provide a copy of engine test reports issued by the test institutes if the officer requests to inspect					
	\square *(6) Formulation of engine oil used in tests of engine performance (Form Thor Por Kor 414/4)					
	* Submitting documents according (3) to (6) each case is as follows:					
	☐ The supporting documents which has been approved by Department of Energy Business be the oil trader shall notify the appearance and quality of engine oil , to submit the official letter No and Date of issuance					
	☐ The supporting documents which is same documents					
	☐ (1) For case the supporting documents same the supporting documents of the engine which has been approved, to submit the certification of approval. No. is valid from					
	☐ (2) For case the supporting documents same the supporting documents of the another engine oils which submitted at the same time, to fill received No.of the another engine oil to refer which the Department of Energy Business issued and received date [7] Letter of consent to permit citation of supporting documents of approved engine oil (Form Thor Por Kor 414/5) and a copy of the referred certificate of approval. {documents (2) – (6) are exempted provided that document (7) is present}					
	2. General information documents					
	 □ (1) A copy of commercial registration certificate issued not exceeding 6 months from the date of submission of application form with the campany's objectives including engine oil trade. □ (2) A copy of a national identification card and a copy of a commercial registration certificate 					
	with the objectives including engine oil trade (only required for natural person) (3) Power of attorney letter (if any), which shall be accompanied by a photocopy of national identification cards					
	of principle and authorised person □ (4) A written consent to use the premises as head office, blending location, packing location or storage location (required for premises residing in the Kingdom of Thailand which the applicants have no right upon) □ (5) Other documents. (if any)					
Channel for receiving	{Except submitting the document (1)-(5) in case of the information can be checked by via the network system.} □ 1. Receiving by own (To notify contact name)					
result of consideration and the certification of	Telephone No. E-mail address 2. Receiving by Domestic registered mail (Send an envelope which specified name and address of the recipient by					
approval I hereby certify	attaching the stamp 21 baht per weight not over 100 grams including sending responding postcard. That above statements are all correct and true.					
, ,	Signature Applicant					
	(Typed name)					
	Day Month Year					
	Seal of juristic person					

Notification form of engine performance

Name of engine oil trad	er (Applicant)				
Product name					
Quality level	G A E				
Viscosity grade SAE	, SAE _		, SAE		
T-(-11	EDNI) / Elamandal Candand	L	imits	Test Method (4)	
Total base number (ΓBN) / Elemental Content	Min	Max		
TBN (1)				ASTM D 2896	
Elemental content (2)	Calcium (Ca)			ASTM D 4951	
(percent by weight)	Magnesium (Mg)				
	Phosphorus (P)			1	
	Zinc (Zn)				
	Others			1	
				1	
	Nitrogen (N)			ASTM D 4629	
Sulphur (S) (3)	I			ASTM D 6443	
Sulphated ash content ⁽³⁾)			ASTM D 874	
Note: (1) TBN shall be declared as integer and may vary up to 20% from typical value. (2) - The content of all elements in the active ingredients of the additives shall be declared and vary up to 20% from their typical values, except in a case where the standards or quality level engine oil claims to meet have already specified the limits for some elements, the oil trader report the limits for such elements according to those standards or quality levels. It should a noted that elemental concentration shall be reported to two decimal places, or however decimal places in a case where the numbers are the same. If the concentration is lower 0.01 % by wt and rounding off the third digit is not possible, the concertration shall be reported to three decimal places or otherwise four decimal places in a case where the numbers are the The elements which concentration is lower than 0.001 % by wt shall not be declared. - Other elemental contents are Molybdenum (Mo), Boron (B), Sodium (Na), Barium (Ba Titanium (Ti) etc. (3) Sulphur and Sulfated ash content shall be declared only when required by some standards or quality levels that the engine oil claims to meet. The value reported may vary up to 20% fro typical value and within limits according to that standard or quality level, The decimal decla according to the standard. (4) Equivalent test methods may be used, but in case of discrepancy or dispute, the methods presents.					
in this form	-				
I hereby ce	ertify that above statement	s are all cor	rect and true.		
	Signature			Applicant	
	(Typed nam	ne)	
	Day	Month	Yea	ır	

Seal of juristic person

Formulations of engine oil to be registered

Product name

Blending compo	Percent by weight (% wt)
l.		
2.		
3.		
1.		
5.		
δ.		
7.		
3.		
).		
10.		
Γotal	100 %	

sاع by on according to API classification, name of manufacturer and location of manufacture. For engine oils claiming quality standards other than API, the requirements shall be as specified in such standards.

I hereby certify that the information contained in this form is true and correct.

For applicant	For engine oil producer/ Formulation Owner
Signature	Signature
Typed name	Typed name
Job title	Job title
Date	Date
Seal of juristic person	Seal of juristic person

(In case of the submitting via the electronic system; If the signature of the engine oil producer / Formulation Owner is different from the applicant, the oil trader need to submit a written to the Department of Energy Business by notify name, surname and job title of the engine oil producer / Formulation Owner before submitting to this form via the electronic system.)

Summary of engine test results

			T				
Test items	Parameters	Test limits	Results	Oil code	Name of test sponsor	Name of testing laboratory	Test run number (1)

Note: 1) As specified by testing laboratory

Quality level

I hereby certify that the information contained in this form is true and correct.

For test sponsor	For engine oil producer/ Formulation Owner	For applicant
Signature	Signature	Signature
Typed name	Typed name	Typed name
Job title	Job title	Job title
Date	Date	Date
Seal of juristic person	Seal of juristic person	Seal of juristic person

(In case of the submitting via the electronic system; If the signature of the test sponser / the engine oil producer / Formulation Owner is different from the applicant, the oil trader need to submit a written to the Department of Energy Business by notify name, surname and job title of the engine oil producer / Formulation Owner before submitting this form via the electronic system)

Formulations of engine oil used during the conduct of a test program

Oil code	SAE viscosity grade	Formulation, wt% 1)

Note: 1) All components shall be declared. For engine oil of quality levels API SJ and CH-4 or higher, with an exception of the quality levels that are declared obsolete by API, the engine oil traders shall declare the group of of base all types stocks used in production according to API classification, name of manufacturer and location of manufacture. For engine oils claiming quality standards other than API, the requirements shall be as specified in such standards

I hereby certify that the information contained in this form is correct and true.

For test sponsor	For engine oil producer/ Formulation Owner			
Signature	Signature			
Typed name	Typed name			
Job title	Job title			
Date	Date			
Seal of juristic person	Seal of juristic person			
For applicant				
Signature				
Typed name				
Job title				
Date				
Seal of juristic person				

(In case of the submitting via the electronic system; If the signature of the test sponser / the engine oil producer / Formulation Owner is different from the applicant, the oil trader need to submit a written to the Department of Energy Business notify by name, surname and job title of the engine oil producer / Formulation Owner before submitting this form via the electronic system)

Form Thor Por Kor 414/5

Letter of consent to permit referencing of supporting documents of approved engine oil

		Date	e
1. I (compa	any name)		
have notified the appearance	ce and quality, and	the production fo	rmulation of an engine oil
named			
quality level of			
viscosity grade of SAE _	, SA	Æ	_, SAE
in order to request an approtal the certificate of approval is valid from		Kor 415 No	
to refer to the documents, my engine oil that has be Department of Energy Bus of the engine oil named	een granted the apsiness in an evaluat	e performance and proval according ion of the notification with qu	the production formulation of to 1., as information for the ion of the engine performance ality level of
viscosity grade of SAE	, ,	SAE	, SAE
I \square allow \square dereferencing documents.	Signature		er to view or to duplicate the (Company giving consent)
	(Typed name	
(Seal of juristic person)	Signature		(Witness)
(Sear of juristic person)	(Typed name)
	Signature		(Witness)
	(Typed name)

Note:

- (1) The Oil trader who consent to another oil trader refer supporting documents of approved engine oil, must be the engine oil producer which granted an approval from the Department of Energy Business.
- (2) In case the quality level reference, The oil trader wishing refer is able to refer any quality level of engine oil which the producer has already approved but the purpose of using for gasoline engines or diesel engines must be in accordance with the approved engine oil producer.
- (3) The expiry date of the certificate of approval of the producer who consent to another oil trader refer, must be more than 60 days from the expiry date when the oil trader wishing refer request an approval.
- (4) In case of submitting via the electronic system, the producer who consent to refer need to notify all detail in this form via the electronic system before the oil trader wishing to refer shall request an approval.

No	Form Thor Por K					
	(Ga	(Garuda Emblem)				
	of Engine P	ficate of Approval erformance of Eng	gine Oil	☐ Alternation ☐ Renew		
	This certificate of	f approval is issue	d to certify that			
Name of engine	oil trader					
Commercial reg	gistration certificate no.					
Product name						
	SAE					
	The registration numbers	ers are designated a	s the followings:			
	SAE	M				
	SAE	M				
This certificate	of approval is valid from		to			
	Dat	e of issuance				
		Seal of Departme	ent of Energy Busin	ness		

Annex of the Notification of Department of the Energy Business Re: Specification for Appearance and Quality of Engine Oils B.E. 2562

Form Thor Por Kor 416

(Garuo	da Emblem)		For official use only			
Department of	of Energy Business	Notification Form for	Form No.			
	rector-General of at of Energy Business	Certificate of Approval Renewal	Received on			
□ Producer	☐ Importer	☐ Name of Natural person				
☐ Engine oil tr	raders who possess	National ID card no. Commercial registration no.				
their own tra	de names or	☐ Name of business organization				
trademarks		Business organization registration no.				
I hereby red	quest for a renewal or	f the Certificate of Approval Thor Por Kor	415 No.			
valid form _		to with	the details as follows:			
	denewal without canc	ellation of any engine oil registration num	ber.			
□ R	enewal with cancella	ation of some engine oil registration number	ers as follows:			
□ R	tenewal with the refer	rence of the approved engine oil				
		l engine oil producer				
		roval (Thor Por Kor 415) No.				
		to				
Channel for receiving result	☐ 1. Receiving by own ((notify contact name) E-mail address.				
of consideration and the certification of approval	☐ 2. Receiving by Dome	stic registered mail (Send an envelope which specifing the stamp 21 baht per weight not over 100 grams				
		nce and the production formulation of the as initially approved by the Department				
I her	eby certify that the	information contained in this form is co	orrect and true.			
	Signature	App	licant			
	(Typed name				

Day _____ Month ____ Year ____

Seal of juristic person

(Garuda Emblem) Sales volume reporting form for 4-srtoke gasoline engine oils and diesel engine oils						Na	Name of engine oil trader						
Department of Energy Business For calendar year						 □ Producer □ Importer □ Engine oil traders who possess their own trade names or trademarks 							
□ still operating □ not in business Volume : Liter													
No.	Name of engine oil (please specify registration number of all approved engine oils, both have volume and no volume)	Standard	Quality level	Viscosity grade (SAE)	Opening stock	Production for customers (Rebrand)	Production under trade names of your own (Excluding rebrand)	Purchase from other producers and sold using your own trade name (Rebrand)	Import for domestic sale (Excluding the volume imported for export)	Local	Export (Excluding the volume imported for export)	Closing stock	Remark
Note	Note: - If the engine oils were acquired by purchasing from other producers and then were rebranded to your own brand, the names of the original producers must be declared in the remark column. - If you produced engine oils for your customers (Reband), you must also fill in and submit page 2 of the thor por kor 417 form. - If you imported engine oils and sold to your customers for rebranding, the names of your customers must be declared in the remark column. - If import or export engine oil, the names of importing country or exporting country must be declared in the remark column. - Besides, submission of a hard copy of a sales volume report, if possible, a soft copy as a Microsoft Excel file should also be submitted via electronic mail. Signature Engine oil trader												
								_	· • • • • • • • • • • • • • • • • • • •	ed name		_	
								D	ay Month	l	Year		
									Seal of jur	ristic per	rson		

Sales volume reporting form for 4-srto	oke gasoline engine oils and diesel engine oils
Name of engine oil trader $_$	
For calendar year	

Volume: Liter

No.	Name of customer	Name of Engine Oil (please specify registration number)	Standard	Quality level	Viscosity grade (SAE)	Sales volume	Remark

Remark: Besides submission of a hard copy of a sales volume report, if possible, a soft copy as a Microsoft Excel file should also be submitted via electronic mail

Signature			Engine oil trader
(Typed r	ame	
Day	Month	Year	
	Seal of juristic	person	

Annex of the Notification of Department of the Energy Business Re: Specification for Appearance and Quality of Engine Oils B.E. 2562

Form Thor Por Kor 418 page 1

(Garuda Emb Department of Ener To The Direct the Department of End	gy Business tor-General of	Notification Form Request for Changing or adding information regarding the appearance and quality of engine oils	For official use only Form No			
 □ Producer □ In □ Engine oil traders who p their own trade names o Trademarks 		□ Name of Natural person ■ National ID card no. □ Commercial registration certificate no. □ Name of business organization ■ Business organization registration no.				
	he details as follows:					
Details of engine oil	☐ Standard / Level☐ Registration No	of Quality f Approval Thor Por Kor 415 No				
Details of changing or adding information	not be distribute un and must send back	ging product name and standard / level of qual- inder previously approval product name and state original of the certificate of approval in for of Energy Business) Kor 414/1 Kor 414/2 Kor 414/3 Kor 414/4 Kor 414/5 Iditives se oils test report (If any)	andard / level of quality orm Thor Por Kor 415			

Supporting document for changing or adding information (details of such document as specified in form Thor Por Kor 414)	□ Form Thor Por Kor 414/1 □ Form Thor Por Kor 414/2 □ Form Thor Por Kor 414/3 □ Form Thor Por Kor 414/4 □ Form Thor Por Kor 414/5 □ Datasheets of additives □ Datasheets of base oils □ Copy of engine test report (If any) □ Other document (If any) □ The certificate of approval Thor Por Kor 415 (An original) □ Submitted to the Department of Energy Business Attach an original □ Submited via the electronic system Send return to the Department of Energy Business by post registered mail no □ If the original certificate of approval Thor Por Kor 415 disappear , Need to report thr disappearance to the police and attach a notification document
Channel for receiving result of consideration and the certification of approval Channel for receiving result of consideration and the certification of approval	□ 1. Receiving by own (notify contact name) Telephone No. ———————————————————————————————————

I hereby certify that above statements are all correct and true.

Signature Applicant

(Typed name)

Day Month Year Seal of juristic person

Annex of the Notification of Department of the Energy Business Re: Specification for Appearance and Quality of Engine Oils B.E. 2562

Form Thor Por Kor 419

Г				I =				
(0 1 5 1	1	N T -	· • • • • • • • • • • • • • • • • • • •	For official use only				
(Garuda Emb			ification Form Request for revoke the	Form No. ———				
Department of Energy To The Director-O		Ce	rtificate of approval and registration number of engine oil					
the Department of Ene			number of engine on	Received on				
□ Producer □ Imp	orter	\square N	ame of Natural person					
□ Fusins sil tus dans subs u		N	National ID card no.					
☐ Engine oil traders who p	oossess	C	ommercial registration certificate no.					
their own trade names of	or	\square N	ame of business organization —					
Trademarks		Ві	usiness organization registration no					
details as follows:		cate o	of approval and registration number of					
The certificate of	approval No.		Valid from	То				
 □ Submitted to the Department of Energy Business Attach an original □ Submitted via the electronic system Send return to the Department of Energy Business by post registered mail no □ If the original certificate of approval Thor Por Kor 415 disappear , Need to report thr disappearance to the police and attach a notification document 								
Channel for receiving	☐ 1. Receiving b	v ow	n (To notify contact name)					
result of consideration	_	•	E-mail address	S				
and the certification of approval Channel for receiving result of consideration and the certification of approval 2. Receiving by Domestic registered mail (Send an envelope which specified name and address of the recipient by attaching the stamp 21 baht (in case attach Thor Por Kor 415) per weight not over 100 grams including sending responding postcard.								
I hereby certify that above statements are all correct and true.								
Signature Applicant								
	(Typed name)					
Day Month Year								
	Seal of juristic person							

